





TAP Cone Mill is used for high speed SHREDDIŅGIZING, GRINDING of power Granules, Tablets and a wide range of wet and dry materials without special attachments. As compared to the four common principles of size reduction i.e. grinding, compression, impact and shearing, which often do not produce controlled size reduction, this machine utilises the principle of Centrifugal Shearinfgrce.



SALIENT FEATURES

- ! Easyto clean
- ! Minimum maintenance
- ! Vaccum Loading option
- ! The Bin charging Loading system also be incorporated in it which is a dust free closed system for charging and dischargingof powdersor granules.
- ! Compact size online model also available.
- ! Material of constructio **6**.S 316.
- ! Imported Lazer Driller Mesh for Dry application.
- ! SafetyStandardswith no outside cables.

TAP CONE MILL

Dust contained high speed milling system





APPLICATIONS

Shredding of Rejected Tablets, Dry Milling, Wet Milling, Shredding of oversized material (De lumping).

TECHNICAL SPECIFICATION

Model	Woking Cap in Kgs/hr	RPM (Nominal)	HP
SAI-TCM-1	150*	2880	2.0
SAI-TCM-2	300*	2880	3.0
SAI-TCM-3	750*	2880	5.0
SAI-TCM-4	1500*	2880	10



Specification and technical data are subject to without prior notice



Manufactured & Exported By: Tapasya Engineering Works Pvt. Ltd.

Our Representatives in USA:

A/212, Road No.30, Wagle Industrial Estate, Thane (W) – 400 604. India Tel.: +91 - 22- 6157 9400 / 2582 2287 • Fax : +91 - 22- 2582 5243 E-mail: sales@tapasyaindia.net • info@tapasyaindia.net • Web : www.tapasyaindia.net



Daiichi Jitsugyo (America), Inc. 939 AEC Drive, Wood Dale, IL 60191 Phone : 630-776-2459 • Email: Rnelson@djausa.com Web : www.dja-pharma.com • www.tapasyaglobalusa.com